

Integrated lock keeps medicines secure

Audible safety alarm sounds should the temperature of the unit fall or rise outside the set Min/Max recording

Fan assisted cooling to regulate temperature throughout the cabinet

BMS dry contact point provided

LED Light maximises product visibility

Double glazed safety glass increases energy efficiency

Door open alarm

PVC-coated elevated bottom shelf for consistent temperature airflow

Fan protection cover prevents product from being damaged

Evaporator protection cover prevents product from being damaged

Rollers for easy placement

Adjustable legs for levelling



BROMIC
MediFridge®

Bromic's Pharmacy Guild approved MediFridge range provides a safe and reliable storage solution for sensitive stock such as vaccines, probiotics, vitamins and other sensitive products.

109. MediFridge Medical Refrigerator

MediFridge medical refrigerators are designed to provide a safe storage solution for your sensitive stock.

Double-glazed glass panels provide a complete view of the cabinet interior and its contents so that you could easily locate an item before opening the fridge.

The integrated temperature alarm system ensures sensitive stock is maintained at the temperature and managed according to its storage requirements.




110. Specification Reference Guide

Medical Refrigeration



Complies to
QCPP
Standards



MED0140GD-NR


MediFridge™ 145L Vaccine Display Fridge

Part No.	Capacity	Weight
3736257	145L	40kg
	External (mm)	Internal (mm)
Width	595	491
Depth	595	510
Height	820	687

- Self-closing door
- Min/max temperature recording
- Factory installed lock with audible & visual alarm
- Adjustable PVC-coated airflow shelving
- Digital thermostat
- Temperature range: +2 to +8°C



Complies to
QCPP
Standards



MED0220GD


MediFridge™ 220L Upright Vaccine Display Fridge

Part No.	Capacity	Weight
3736217	215L	65kg
	External (mm)	Internal (mm)
Width	595	505
Depth	598	462
Height	1310	1025

- Self-closing door
- Min/max temperature recording
- Factory installed lock with audible & visual alarm
- Adjustable PVC-coated airflow shelving
- Digital thermostat
- Temperature range: +2 to +8°C



Complies to
QCPP
Standards



MED0374GD

MediFridge™ 372L Upright Vaccine Display Fridge

Part No.	Capacity	Weight
3736218	372L	81kg
	External (mm)	Internal (mm)
Width	595	505
Depth	598	462
Height	1840	1555

- Self-closing door
- Min/max temperature recording
- Factory installed lock with audible & visual alarm
- Adjustable PVC-coated airflow shelving
- Digital thermostat
- Temperature range: +2 to +8°C



350700051

Medi-Log II Digital Data Logger

- Meets Strive-for-Five guidelines and Department of Health recording interval requirements
- Simple one button operation to control all screens and functions
- Audible and on-screen alarms. Alarm set-points are preset to low 2°C and high 8°C (can be changed, if required)
- Time interval between readings 1 minute to 99 minutes
- 16,000 readings memory
- Free software to download and analyse all recorded data on your Windows computer (via USB cable)
- Includes Glycol Vial, 2 Meter External probe and USB Cable

Medical Refrigeration

Specification Reference Guide

Model	MED0140GD-NR	MED0220GD	MED0374GD
Part Number	3736257	3736217	3736218
Ext. Width (mm)*	595	595	595
Ext. Depth (mm)*	595 (635 inc handle)	598	598
Ext. Height (mm)*	820	1310	1840
Capacity	145L	215L	372L
Temp. Range	+2 to 8°C	+2 to 8°C	+2 to 8°C
Plug Supplied	✓	✓	✓
Power Supply	10A	10A	10A
Features			
Internal Light	✓	✓	✓
Door Shape	Flat Glass	Flat Glass	Flat Glass
Feet Included	30mm feet at front. rollers at back	30mm feet at front. rollers at back	30mm feet at front. rollers at back
No. of Shelves inc. Base	4	4	6
Default Door Hinge	Right	Right	Right
Warranty			
Parts	5	5	5
Labour	5	5	5

*Dimensions exclude any protrusions