

Additional shelf extenders to prevent products from falling over

Designed specifically for seamless under-bench installation

Adjustable shelving for flexibility in display configuration

Side-mounted refrigeration maximises storage height and the removable dust filter simplifies maintenance (selected models only)



Castors (front lockable) make movement and placement easy

Curved internal corners simplify food-safe cleaning (stainless range only)

Stainless steel self-closing doors minimise temperature loss

High-impact LED lighting maximises product visibility and captures attention

Precise Dixell digital temperature controller for accurate temperature maintenance

# Bromic's Bar Fridges & Freezers have been designed specifically for installation under an industry-standard bench and are available in one to four-door configurations.

### 33. Back Bar Display Fridges

Bromic's Back Bar Fridges are the perfect freestanding refrigerated display solution for those seeking versatility and reliability.

High-impact LED lighting highlights products through this unit's hinged or sliding double-glazed safety glass doors while powerful fan-forced refrigeration enables rapid cooling.



### 35. Underbench Display & Storage Fridges & Freezers

Bromic's Fan-Forced Underbench Fridges and Freezers are premium performers, developed specifically to withstand heavy use in the hospitality industry and to slot seamlessly underneath a industry-standard bench.

Featuring powerful fan-forced cooling, these units are capable of storing sensitive stock, such as meat, dairy or fresh produce, alongside beverages while also utilising Gastronorm 1/1 sizing to offer versatility in high-volume applications.

Display Fridge:



Storage Fridge:



Storage Freezer:



### 38. Single Door Underbench Display & Storage Fridges & Freezers

Bromic's Single Door Underbench Fridges and Freezers offer versatile storage solutions across a wide temperature range.

This unit's insulated stainless steel structure and Dixell digital temperature controller allow the refrigeration system to reliably cool practically any product while achieving exceptional energy efficiency.

Display Fridge:



Storage Fridge:



Storage Freezer:



### 39. Specification Reference Guide


# Bar Fridges & Freezers

## Back Bar Glass Door Display Fridges (Hinged)



Handle  
Top to  
Bottom

Full length door handle:



**BB0120GD-NR**

**1 YEAR  
EXTRA CARE  
WARRANTY SERVICE**

### Back Bar Glass Door Display Fridge 118L (Hinged)

Part No. 3736070-1 Capacity 118L Weight 58kg

	External (mm)	Internal (mm)
Width	555	520
Depth	520	385
Height	870	820


- High-impact LED lighting maximises product visibility
- Double-glazed safety glass increases efficiency while reducing condensation
- 2 adjustable shelves per door + base for optimal product display
- Temperature range: +1°C to +10°C
- Unit can be mounted high & door can still be opened
- Full length door handle
- Door cannot be reversed

**Green  
Cooling.**

FF



Handle  
Top to  
Bottom



**BB0200GD-NR**

**1 YEAR  
EXTRA CARE  
WARRANTY SERVICE**

### Back Bar Glass Door Display Fridge 190L (Hinged)

Part No. 3736071-1 Capacity 190L Weight 72kg

	External (mm)	Internal (mm)
Width	865	820
Depth	520	385
Height	870	820


- High-impact LED lighting maximises product visibility
- Double-glazed safety glass increases efficiency while reducing condensation
- 2 adjustable shelves per door + base for optimal product display
- Temperature range: +1°C to +10°C
- Unit can be mounted high & door can still be opened

**Green  
Cooling.**

FF



Handle  
Top to  
Bottom



**BB0330GD-NR**

**1 YEAR  
EXTRA CARE  
WARRANTY SERVICE**

### Back Bar Glass Door Display Fridge 307L (Hinged)

Part No. 3736073-1 Capacity 307L Weight 90kg

	External (mm)	Internal (mm)
Width	1350	1270
Depth	520	385
Height	870	820


- High-impact LED lighting maximises product visibility
- Double-glazed safety glass increases efficiency while reducing condensation
- 2 adjustable shelves per door + base for optimal product display
- Temperature range: +1°C to +10°C
- Unit can be mounted high & door can still be opened

**Green  
Cooling.**

FF

# Bar Fridges & Freezers

## Back Bar Glass Door Storage Fridges (Sliding Door)



**BB0200GDS-NR**




### Back Bar Display Fridge 190L (Sliding Door)

**Part No.** 3736072-1    **Capacity** 190L    **Weight** 72kg

	External (mm)	Internal (mm)
<b>Width</b>	865	820
<b>Depth</b>	520	385
<b>Height</b>	870	820

- High-impact LED lighting maximises product visibility
- Double-glazed safety glass increases efficiency while reducing condensation
- 2 adjustable shelves per door + base for optimal product display
- Temperature range: +1°C to +10°C

FF



**BB0330GDS-NR**



### Back Bar Display Fridge 307L (Sliding Door)

**Part No.** 3736074-1    **Capacity** 307L    **Weight** 90kg

	External (mm)	Internal (mm)
<b>Width</b>	1350	1270
<b>Depth</b>	520	385
<b>Height</b>	870	820


- High-impact LED lighting maximises product visibility
- Double-glazed safety glass increases efficiency while reducing condensation
- 2 adjustable shelves per door + base for optimal product display
- Temperature range: +1°C to +10°C

FF



# Bar Fridges & Freezers

## Underbench Glass Door Display Fridges



### UBC1360GD




#### Underbench Glass Door Display Fridge 282L LED

**Part No.** 3735213    **Capacity** 282L    **Weight** 122kg

	External (mm)	Internal (mm)
<b>Width</b>	1360	902
<b>Depth</b>	700	530
<b>Height</b>	850	589

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow spaced wires and shelf extenders to prevent bottles from falling over the shelf
- Temperature range: +2°C to +8°C

FF



### UBC1795GD




#### Underbench Glass Door Display Fridge 417L LED

**Part No.** 3735211    **Capacity** 417L    **Weight** 151kg

	External (mm)	Internal (mm)
<b>Width</b>	1795	1337
<b>Depth</b>	700	530
<b>Height</b>	850	589

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow spaced wires and shelf extenders to prevent bottles from falling over the shelf
- Temperature range: +2°C to +8°C

FF



### UBC2230GD



#### Underbench Glass Door Display Fridge 553L LED

**Part No.** 3735212    **Capacity** 553L    **Weight** 180kg

	External (mm)	Internal (mm)
<b>Width</b>	2230	1772
<b>Depth</b>	700	530
<b>Height</b>	850	589

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow spaced wires and shelf extenders to prevent bottles from falling over the shelf
- Temperature range: +2°C to +8°C


FF

# Bar Fridges & Freezers

## Underbench Storage Fridges



FF



### UBC1360SD




#### Underbench Storage Fridge 282L

Part No.	Capacity	Weight
3735204	282L	110kg
External (mm)		Internal (mm)
Width	1360	902
Depth	700	530
Height	850	589

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow spaced wires and shelf extenders to prevent bottles from falling over the shelf
- Temperature range: +2°C to +8°C



FF



### UBC1795SD




#### Underbench Storage Fridge 417L

Part No.	Capacity	Weight
3735206	417L	142kg
External (mm)		Internal (mm)
Width	1795	1337
Depth	700	530
Height	850	589

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow spaced wires and shelf extenders to prevent bottles from falling over the shelf
- Temperature range: +2°C to +8°C



FF



### UBC2230SD




#### Underbench Storage Fridge 553L

Part No.	Capacity	Weight
3735209	553L	173kg
External (mm)		Internal (mm)
Width	2230	1772
Depth	700	530
Height	850	589

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow spaced wires and shelf extenders to prevent bottles from falling over the shelf
- Temperature range: +2°C to +8°C

# Bar Fridges & Freezers

## Underbench Storage Freezers



### UBF1360SD




#### Underbench Storage Freezer 282L

Part No.	Capacity	Weight
3736230	282L	109kg

	External (mm)	Internal (mm)
Width	1360	902
Depth	700	530
Height	850	589

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow spaced wires and shelf extenders to prevent bottles from falling over the shelf
- Temperature range: -22°C to -18°C

FF



### UBF1795SD




#### Underbench Storage Freezer 417L

Part No.	Capacity	Weight
3736231	417L	140kg

	External (mm)	Internal (mm)
Width	1795	1337
Depth	700	530
Height	850	589

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow spaced wires and shelf extenders to prevent bottles from falling over the shelf
- Temperature range: -22°C to -18°C

FF



### UBF2230SD



#### Underbench Storage Freezer 553L

Part No.	Capacity	Weight
3736232	553L	155kg

	External (mm)	Internal (mm)
Width	2230	1772
Depth	700	530
Height	850	589

- Powerful fan-forced refrigeration cools cabinet evenly and quickly
- Side-mount condenser for easy maintenance
- Narrow spaced wires and shelf extenders to prevent bottles from falling over the shelf
- Temperature range: -22°C to -18°C

FF




# Bar Fridges & Freezers

## Underbench Single Door Fridges & Freezer



Full  
Stainless  
Steel  
Exterior



### UBC0140GD-NR



#### Underbench Display Chiller 138L


**Part No.** 3736255    **Capacity** 138L    **Weight** 45kg

- Easily stackable with other Bromic single door units
- Reversible hinge for flexible installation options
- Door lock to secure stock
- Adjustable 30mm feet and back rollers
- 3 adjustable shelves + base
- Stainless steel top and door frame
- Temperature range: +1°C to +10°C

	External (mm)	Internal (mm)
<b>Width</b>	598	490
<b>Depth</b>	643	400
<b>Height</b>	824	680



Full  
Stainless  
Steel  
Exterior



### UBC0140SD-NR



#### Underbench Storage Fridge 138L


**Part No.** 3736254    **Capacity** 138L    **Weight** 36kg

- Easily stackable with other Bromic single door units
- Reversible hinge for flexible installation options
- Door lock to secure stock
- Adjustable 30mm feet and back rollers
- 3 adjustable shelves
- Stainless steel top and door frame
- Temperature range: +1°C to +10°C

	External (mm)	Internal (mm)
<b>Width</b>	598	490
<b>Depth</b>	643	400
<b>Height</b>	824	680



Full  
Stainless  
Steel  
Exterior



### UBFO140SD-NR



#### Underbench Storage Freezer 115L

**Part No.** 3736256    **Capacity** 115L    **Weight** 38kg

- Easily stackable with other Bromic single door units
- Reversible hinge for flexible installation options
- Door lock to secure stock
- Adjustable 30mm feet and back rollers
- 3 baskets with static cooling inbetween
- Stainless steel top and door frame
- Temperature range: -24°C to -16°C

	External (mm)	Internal (mm)
<b>Width</b>	598	490
<b>Depth</b>	643	400
<b>Height</b>	824	680





# Bar Fridges & Freezers

## Specification Reference Guide

Fridge

Freezer

Model	BB0120GD-NR	BB0200GD-NR	BB0330GD-NR	BB0200GDS-NR	BB0330GDS-NR
Part Number	3736070-1	3736071-1	3736073-1	3736072-1	3736074-1
Ext. Width (mm)*	555	865	1350	865	1350
Ext. Depth (mm)*	520	520	520	520	520
Ext. Height (mm)*	870	870	870	870	870
Capacity	118L	190L	307L	190L	307L
Temp. Range	+1 to +10°C	+1 to +10°C	+1 to +10°C	+1 to +10°C	+1 to +10°C
Max. Ambient Temp.	38°C	38°C	38°C	38°C	38°C
Rated Power	182W	213W	408W	213W	408W
Current	0.95A	1.2A	2.1A	1.2A	2.1A
Gross Weight	58kg	72kg	90kg	72kg	90kg
Refrigerant	R600	R600	R600	R600	R600
Plug Supplied	1	1	1	1	1
Power Supply	10A	10A	10A	10A	10A
Features					
Chiller Case	✓	✓	✓	✓	✓
Freezer Case					
Main Light	LED	LED	LED	LED	LED
Number of Doors	1	2	3	2	3
Door Type	Hinged	Hinged	Hinged	Sliding	Sliding
Safety Glass	✓	✓	✓	✓	✓
Door Lock	✓	✓	✓	✓	✓
Temp. Controller	Digital	Digital	Digital	Digital	Digital
Feet / Castors	✓	✓	✓	✓	✓
No. of Shelves Incl. Base	3	3	3	3	3
Shelves with Narrow Spaced Wires	✓	✓	✓	✓	✓
Colour	Black	Black	Black	Black	Black
Warranty					
Parts (Years)	1	1	1	1	1
Labour (Years)	1	1	1	1	1

\*Dimensions exclude lightbox & handle protrusions

# Bar Fridges & Freezers

## Specification Reference Guide

Fridge

Freezer

Model	UBC1360GD	UBC1795GD	UBC2230GD	UBC1360SD	UBC1795SD	UBC2230SD
Part Number	3735213	3735211	3735212	3735204	3735206	3735209
Ext. Width (mm)*	1360	1795	2230	1360	1795	2230
Ext. Depth (mm)*	700	700	700	700	700	700
Ext. Height (mm)*	850	850	850	850	850	850
Capacity	282L	417L	553L	282L	417L	553L
Temp. Range	+2 to +8°C	+2 to +8°C	+2 to +8°C	+2 to +8°C	+2 to +8°C	+2 to +8°C
Max. Ambient Temp.	32°C	32°C	32°C	38°C	38°C	38°C
Rated Power	245W	245W	345W	245W	245W	345W
Current	2.2A	2.5A	2.8A	2.2A	2.5A	2.8A
Gross Weight	122kg	151kg	180kg	110kg	142kg	173kg
Refrigerant	R134a	R134a	R134a	R134a	R134a	R134a
Plug Supplied	1	1	1	1	1	1
Power Supply	10A	10A	10A	10A	10A	10A
<b>Features</b>						
Chiller Case	✓	✓	✓	✓	✓	✓
Freezer Case						
Main Light	LED	LED	LED			
Number of Doors	2	3	4	2	3	4
Door Type	Hinged	Hinged	Hinged	Hinged	Hinged	Hinged
Safety Glass	✓	✓	✓			
Door Lock						
Temp. Controller	Digital	Digital	Digital	Digital	Digital	Digital
Feet / Castors	✓	✓	✓	✓	✓	✓
No. of Shelves Incl. Base	3x2	3x3	3x4	3x2	3x3	3x4
Shelves with Narrow Spaced Wires	✓	✓	✓	✓	✓	✓
Colour	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
<b>Warranty</b>						
Parts (Years)	2	2	2	2	2	2
Labour (Years)	2	2	2	2	2	2




\*Dimensions exclude lightbox & handle protrusions

# Bar Fridges & Freezers

## Specification Reference Guide

Fridge

Freezer

Model	UBF1360SD 	UBF1795SD 	UBF2230SD 
Part Number	3736230	3736231	3736232
Ext. Width (mm)*	1360	1795	2230
Ext. Depth (mm)*	700	700	700
Ext. Height (mm)*	850	850	850
Capacity	282L	417L	553L
Temp. Range	-22 to -18°C	-22 to -18°C	-22 to -18°C
Max. Ambient Temp.	32°C	32°C	32°C
Rated Power	774W	774W	774W
Current	3.8A	3.8A	3.8A
Gross Weight	109kg	140kg	155kg
Refrigerant	R404a	R404a	R404a
Plug Supplied	1	1	1
Power Supply	10A	10A	10A
<b>Features</b>			
Chiller Case			
Freezer Case	✓	✓	✓
Main Light			
Number of Doors	2	3	4
Door Type	Hinged	Hinged	Hinged
Safety Glass			
Door Lock			
Temp. Controller	Digital	Digital	Digital
Feet / Castors	✓	✓	✓
No. of Shelves Incl. Base	3 x 2	3 x 3	3 x 4
Shelves with Narrow Spaced Wires	✓	✓	✓
Colour	Stainless Steel	Stainless Steel	Stainless Steel
<b>Warranty</b>			
Parts (Years)	2	2	2
Labour (Years)	2	2	2

\*Dimensions exclude lightbox & handle protrusions


These units are classified as storage cabinets and designed for holding foodstuffs which require some preparation or processing before sale

# Bar Fridges & Freezers

## Specification Reference Guide

Fridge

Freezer

Model	UBC0140GD-NR	UBC0140SD-NR	UBF0140SD-NR 
Part Number	3736255	3736254	3736256
Ext. Width (mm)*	598	598	598
Ext. Depth (mm)*	643	643	643
Ext. Height (mm)*	824	824	824
Capacity	138L	138L	115L
Temp. Range	+1 to +10°C	+1 to +10°C	-24 to -16°C
Max. Ambient Temp.	32°C	32°C	32°C
Rated Power	100W	100W	100W
Current	1.2A	1.2A	1.2A
Gross Weight	45kg	36kg	38kg
Refrigerant	R600a	R600a	R600a
Plug Supplied	1	1	1
Power Supply	10A	10A	10A
Features			
Chiller Case	✓	✓	
Freezer Case			✓
Main Light	LED		
Number of Doors	1	1	1
Door Type	Hinged (S/Steel)	Hinged (S/Steel)	Hinged (S/Steel)
Safety Glass	✓		
Door Lock	✓	✓	✓
Temp. Controller	Digital	Digital	Digital
Feet / Castors	✓	✓	✓
No. of Shelves Incl. Base	4	4	3 Baskets
Shelves with Narrow Spaced Wires	✓	✓	
Colour	Stainless Steel	Stainless Steel	Stainless Steel
Warranty			
Parts (Years)	1	1	1
Labour (Years)	1	1	1

\*Dimensions exclude lightbox & handle protrusions

These units are classified as storage cabinets and designed for holding foodstuffs which require some preparation or processing before sale