

Bromic's Food Display range offers stylish, purpose built solutions for showcasing your fresh products. Choose from our Hot, Cold and Ambient units, with matching profiles providing a visual consistency for customers whilst beautifully displaying goods.

#### 69. Cold Food Displays

Bromic's Cold Food Displays offer a stylish, purpose-built display solution for refrigerated delicacies such as cheese, cakes, and confectionary.

With heated glass on the front, top and sides to prevent condensation, it ensures visual clarity of your products on display. Three fully adjustable shelves and high impact LED internal lighting provide display flexibility and help maximise product visibility. Featuring an oversized evaporator coil and low-velocity fans for gentle circulation of high-humidity air, these units maintain moisture at low temperatures to ensure that products on display taste as good as they look.











#### 71. Hot Food Displays

Bromic's Hot Food Displays offer a flexible and functional solution to display your hot delicacies. These units were designed specifically to provide perfect temperature control and when required, increased humidity to preserve food quality at its highest for prolonged periods of time. In addition, they feature three fully adjustable shelves, removable glass for easy cleaning, sliding self-closing rear door, and high-impact LED internal lighting for perfect product presentation.





#### 73. Ambient Food Displays

Bromic's Ambient Food Displays offer a perfect solution for displaying your baked goods such as pastries, cookies, cakes at ambient temperature.

With a beautiful stainless-steel finish, these purpose-built food displays offer a modern, sophisticated look that would compliment any hospitality environment. In addition, they feature three fully adjustable shelves with easily removable shelf inserts for cleaning, sliding self-closing rear door for easy access, and high-impact LED internal lighting for the immaculate presentation of your goods.






#### 74. Specification Reference Guide











#### FD4T0660C

#### 2 YEAR **EXTRA CARE**


#### **Cold Food Display 660mm**

Part No.	Capacit	y Weight
3736313-	NR 300L	160kg
E	xternal (mm)	Internal (mm)
Width	660	590
Depth	740	647
Height	1360	828

- Heated front, top & side glass provides uninterrupted views
- Magnetic condensor guard and cover for easy maintenance
- Three tiers of adjustable/removable shelving +
- base for flexibility in display Heated hinged rear door for covenience
- Temperature range: +2 to +6°C









#### FD4T0900C



#### **Cold Food Display 900mm**


Capacity Weight

373630	08 417L	230kg
	External (mm)	Internal (mm)
Width	900	874
Depth	740	647
Height	1360	828

- · Heated front, top & side glass provides uninterrupted views
- Magnetic condensor guard and cover for easy maintenance
- Three tiers of adjustable/removable shelving + base for flexibility in display
- Rear sliding door minimises temperature loss
- Temperature range: +2 to +6°C







#### FD4T1200C



#### Cold Food Display 1200mm

3736309 542L 282kg	Part No.	Capacity	Weight
	3736309	542L	282kg

External (mm) Internal (mm) Width Depth Height


- Heated front, top & side glass provides uninterrupted views
- Magnetic condensor guard and cover
- for easy maintenance
- Three tiers of adjustable/removable shelving + base for flexibility in display
- Rear sliding door minimises temperature loss Temperature range: +2 to +6°C



## **Cold Food Displays**









#### 2 YEAR EXTRA CARE FD4T1500C **Cold Food Display 1500mm** Heated front, top & side glass provides uninterrupted views Part No. Capacity Weight 3736310 686L 319kg Magnetic condensor guard and cover for easy maintenance External (mm) 1500 740 Internal (mm) 1474 647 Three tiers of adjustable/removable shelving + base for flexibility in display Width Depth Height Rear sliding door minimises temperature loss Temperature range: +2 to +6°C 1360 828



















#### FD4T0660H

2 YEAR EXTRA CARE WARRANTY SERVICE


#### **Hot Food Display 660mm**

Part N	o. Capacity	Weight
373631	12 300L	140kg
	External (mm)	Internal (mm)
Width	External (mm) 660	Internal (mm) 590
Width Depth		

- Stainless steel construction resists corrosion and looks fantastic
- Three tiers of adjustable/removable shelving + base for flexibility in display
- Included is a bain-marie for increased humidity
- Hinged rear door for convenience Temperature range: +50 to +70°C












#### **Hot Food Display 900mm**

<b>Part No</b> 373630	,	Weight 186kg
Width Depth Height	900 740 1360	Internal (mm) 874 647 828

- · Stainless steel construction resists corrosion and looks fantastic
- Three tiers of adjustable/removable shelving + base for flexibility in display
- Included is a bain-marie for increased humidity
- Temperature range: +50 to +70°C







#### FD4T1200H



Hot Food Display 1200	ımm

Jou Dispi	uy 1200111
Capacity	Weight
542L	204kg
xternal (mm)	Internal (mm)
xternal (mm) 1200	Internal (mm) 1174
	1174 647
	542L


- · Stainless steel construction resists corrosion and looks fantastic
- · Three tiers of adjustable/removable
- shelving + base for flexibility in display Included is a bain-marie for
- increased humidity Temperature range: +50 to +70°C



## **Hot Food Displays**







#### FD4T1500H




Н	ot	Foo	d D	isp	lay '	150	Omm
---	----	-----	-----	-----	-------	-----	-----

<b>Part No</b> 373630		y Weight 223kg
Width Depth Height	External (mm 1500 740 1360	) Internal (mm) 1474 647 828

- Stainless steel construction resists corrosion and looks fantastic
   Three tiers of adjustable/removable
- Three tiers of adjustable/removable shelving + base for flexibility in display Included is a bain-marie for
- increased humidity
- Temperature range: +50 to +70°C







### FD4T1800H



Hot Fo	od Displa	y 1800m	ım
Part No.	Capacity	Weight	

| S736307 | S30L | 242kg | | S42kg | | S42kg | | S42kg | | S42kg | S42

- Stainless steel construction resists
   corresion and looks fantastic
  - corrosion and looks fantastic
    Three tiers of adjustable/removable
  - shelving + base for flexibility in display Included is a bain-marie for
- increased humidity
   Temperature range: +50 to +70°C







73











#### FD4T0900A





#### **Ambient Food Display 900mm**

<b>Part N</b> o. 373630		Weight 142kg
Width Depth Height	900 740 1360	Internal (mm) 874 647 828

- Stainless steel construction resists corrosion and looks fantastic
- Three tiers of adjustable/removable
- shelving + base for flexibility in display
- Sliding rear doors allow easy access Toughened safety glass creates a
- durable display & service surface







#### FD4T1200A

Part No.

(200)	2 YEAR
	<b>EXTRA CARE</b>
	WARRANTY SERVICE

Weight


373630	01 542L	174kg
	External (mm)	Internal (mm)
Width	1200	1174
Depth	740	647
Height	1360	828

Capacity


- Stainless steel construction resists corrosion and looks fantastic
- Three tiers of adjustable/removable
- shelving + base for flexibility in display
- Sliding rear doors allow easy access Toughened safety glass creates a durable display & service surface












#### FD4T1500A



Part N	о.	Capacity	Weight
37363	02	686L	206kg
***************************************	Ext	ernal (mm)	Internal (mm)

- Width Depth Height 1500 740 1360
- EXTRA CARE
- corrosion and looks fantastic
- Three tiers of adjustable/removable shelving + base for flexibility in display
- Sliding rear doors allow easy access Toughened safety glass creates a durable display & service surface





#### FD4T1800A



#### **Ambient Food Display 1800mm**

Part No.	Capacity	Weight
3736303	830L	238kg
Evt	ornal (mm)	Internal (mm)

- rnal ( 1774 647 1800 740 1360 Width Depth 828
- corrosion and looks fantastic
- Three tiers of adjustable/removable
- shelving + base for flexibility in display
- Sliding rear doors allow easy access Toughened safety glass creates a durable display & service surface



#### 74

# **Food Displays**

## **Specification Reference Guide**

Model	FD4T0660C COLD	FD4T0900C COLD	FD4T1200C COLD	FD4T1500C COLD	FD4T1800C coLD
Part Number	3736313-NR	3736308	3736309	3736310	3736311
Ext. Width (mm)* Ext. Depth (mm)* Ext. Height (mm)*	660 740 1360	900 740 1360	1200 740 1360	1500 740 1360	1800 740 1360
Capacity	300L	417L	542L	686L	830L
Temp. Range	+2 to +6°C	+2 to +6°C	+2 to +6°C	+2 to +6°C	+2 to +6°C
Max. Ambient Temp.	32°C	32°C	32°C	32°C	32°C
Rated Power	540W	700W	1000W	1220W	1360W
Gross Weight	160kg	230kg		319kg	344kg
Refrigerant	R290	R404a	R404a	R404a	R404a
Plug Supplied	1	1	1	1	1
Power Supply	10A	10A	10A	10A	10A
Features					
Main Light	LED	LED	LED	LED	LED
Number of Doors	2	2	2	2	2
Door Type	Slide	Slide	Slide	Slide	Slide
Digital Temp. Controller		<b>✓</b>	<b>✓</b>	<b>√</b>	<b>√</b>
Castors		<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>√</b>
Number of Shelves Incl. Base	4	4	4	4	4
Defrost System	Forced Air	Forced Air	Forced Air	Forced Air	Forced Air
Colour	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Warranty					
Parts (Years)	2	2	2	2	2
Labour (Years)	2	2	2	2	2

# **Food Displays**

## **Specification Reference Guide**

Model	FD4T0660H HOT	FD4T0900H HOT	FD4T1200H HOT	FD4T1500H HOT	FD4T1800H HOT
Part Number	3736312	3736304	3736305	3736306	3736307
Ext. Width (mm)* Ext. Depth (mm)* Ext. Height (mm)*	660 740 1360	900 740 1360	200 740 1360	1500 740 1360	1800 740 1360
Capacity	300L	417L	542L	686L	830L
Temp. Range	+50 to +70°C	+50 to +70°C	+50 to +70°C	+50 to +70°C	+50 to +70°C
Max. Ambient Temp.	N/A	N/A	N/A	N/A	N/A
Rated Power	1138W	659W	1000W	1100W	3600W
Gross Weight	140kg	186kg	204kg	223kg	242kg
Refrigerant	N/A	N/A	N/A	N/A	N/A
Plug Supplied	1	1	1	1	1
Power Supply	10A	15A	15A	15A	15A
Features					
Main Light	Fluoro (T5)	Fluoro (T5)	Fluoro (T5)	Fluoro (T5)	Fluoro (T5)
Number of Doors	2	2	2	2	2
Door Type	Slide	Slide	Slide	Slide	Slide
Digital Temp. Controller	✓	✓	✓	✓	✓
Castors	$\checkmark$	✓	✓	✓	✓
Number of Shelves Incl. Base	4	4	4	4	4
Defrost System	Forced Air	Forced Air	Forced Air	Forced Air	Forced Air
Colour	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Warranty					
Parts (Years)	2	2	2	2	2
Labour (Years)	2	2	2	2	2

### 76

# **Food Displays**

## **Specification Reference Guide**

Model	FD4T0900A AMBIENT	FD4T1200A AMBIENT	FD4T1500A AMBIENT	FD4T1800A AMBIENT
Part Number	3736300	3736301	3736302	3736303
Ext. Width (mm)* Ext. Depth (mm)* Ext. Height (mm)*	900 740 1360	1200 740 1360	1500 740 1360	1800 740 1360
Capacity	417L	542L	686L	830L
Temp. Range	N/A	N/A	N/A	N/A
Max. Ambient Temp.	N/A	N/A	N/A	N/A
Heating Power	N/A	N/A	N/A	N/A
Gross Weight	142kg	174kg	206kg	238kg
Plug Supplied	1	1	1	1
Power Supply	10A	10A	10A	10A
Features				
Main Light	LED	LED	LED	LED
Number of Doors	2	2	2	2
Door Type	Slide	Slide	Slide	Slide
Digital Temp. Controller	✓	✓	✓	✓
Castors	✓	✓	✓	✓
Number of Shelves Incl. Base	4	4	4	4
Heating System	N/A	N/A	N/A	N/A
Colour	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Warranty				
Parts (Years)	2	2	2	2
Labour (Years)	2	2	2	2

\*Dimensions exclude any protrusions