robot of coupe®



Food Processors Cutters & Vegetable Slicers



R 502, R 752, R 752 V.V.





Table Top Cutter **Mixers**



R 5 - 1V, R 5 - 2V, R 5 V.V.



R 7, R 7 V.V.







Blixer 5 - 2V, Blixer 5 V.V.



5.9 L



Blixer 7, Blixer 7 V.V.



7.5 L

NEW PRODUCTS & FEATURES



Stainless steel bowl

- Large capacity 5.9 L or 7.5 L
- Ergonomic Soft Touch handle



Timer

countdown and stopwatch. Essential for standardising your recipes with maximum precision.


AN OFFERING TO SUIT EVERY CHEF AND WIN OVER THE KITCHEN STAFF

TEXTURE-MODIFIED

CARROTS 2 kg = 1 min

Up to:

25 portions



Cutter applications



Vegetable preparati on applications



Blixer® applications



Turn raw products into texture-modified foods



Emulsions



Chopping



Slicers



Julienne



Duo of raw red cabbage and celeriac



Grinding




Chopping



Ripple cuts



Diced Vegetables



Salmon steak and cabbage



Kneading



Fine chopping



Graters




French Fries



Raw granny smith apple compote

2 machines in 1!



Food Processors

Cutters & Vegetable Slicers

R 752 - R 752 V.V. Feed heads for fruit and

vegetables of every shape and size.

R 502 - R 502 V.V. - R 752 - R 752 V.V.

R 502 - R 502 V.V. Feed heads for fruit and vegetables of every shape and size.



pusher Ø 39 mm



Cylindrical hopper Ø 58 mm



Large feed head Large vegetables

robot o coupe


R 752 V.V.



Extra large hopper Large vegetables



Cylindrical hopper Ø 58 mm



Exactitube pusher Ø 39 mm

R 752 - R 752 V.V.

Lever with assisted movement:



- Requires less effort
- Prevents MSD*
- Takes away the tediousness

Scraper arm:

Designed to easily scrape the lid and edges of the bowl without stopping the machine.



R 752 - R 752 V.V. Stainless steel blade:

Detachable, adjustable

countdown and stopwatch. For precise working.



Industrial induction motor:

Intensive use.

*Musculoskeletal disorders

Stainless steel bowl:

Large capacity 5.9 L or 7.5 L. Save time by increasing the quantities processed.

· Ergonomic **Soft Touch** handle: Greater

convenience.

A must-have in the kitchen



Table Top Cutter Mixers

R 5 - R 5 V.V. - R 7 - R 7 V.V.

robot@coupe*

R7 V.V.

Bottom bowl based blade:

even consistency for both small and large quantities.




R 7 - R 7 V.V. Stainless steel blade: Detachable, adjustable blades.



Industrial induction motor:

Intensive use.

R-Mix function: to mix without cutting.



Stainless steel bowl:

Large capacity 5.9 L or 7.5 L. Save time by increasing the quantities processed.

Ergonomic Soft Touch handle:

Greater convenience.

Timer:

countdown and stopwatch. For precise working.

The Solution for Texture Modified food



Blixer®

Blixer 5 - 5 V.V. - 7 - 7 V.V.

robot@coupe®

Blixer' 7 V.V.



Bottom bowl based blade:

to turn all cooked and raw ingredients into texture-modified foods.

Blixer® arm: for finer, more homogeneous results.



to work with small and large quantities for better menu management.



Removable attachments:

for easy cleaning of parts in contact with food.



Industrial induction motor:

Intensive use.



Save time by increasing the quantities processed.
The high bowl shaft is designed to produce liquid textures.



Greater convenience.

Timer:

countdown and stopwatch. For precise work.



Features

Model	Bowl capacity	Maximum quantity for cutter function	Throughput* for vegetable preparation function	Number of covers per service	Power (W)	Speeds	Single phase	Three phase
R 502	5.9 L	3.2 kg	150 kg/ h	30 - 300	900	750 rpm - 1500 rpm		•
R 502 V.V.	5.9 L	3.2 kg	150 kg/ h	30 - 300	1500	vegetable slicer: 300 to 1000 rpm cutter: 300 to 3500 rpm R-Mix: 60 to 500 rpm	•	
R 752	7.5 L	3.8 kg	250 kg/ h	50 - 400	1800	750 rpm - 1500 rpm		•
R 752 V.V.	7.5 L	3.8 kg	250 kg/ h	50 - 400	1500	vegetable slicer: 300 to 1000 rpm cutter: 300 to 3500 rpm R-Mix: 60 to 500 rpm	•	



Table Top Cutter Mixers







Model	Bowl capacity	Maximum quantity per operation	Number of covers per service	Power (W)	Speeds	Single phase	Three phase
R 5 - 1V	5.9 L	3.2 kg	20 - 80	750	1500 rpm	•	
R 5 - 2V	5.9 L	3.2 kg	20 - 80		1500 - 3000 rpm		•
R 5 V.V.	5.9 L	3.2 kg	20 - 80		300 to 3500 rpm R-Mix : 60 to 500 rpm	•	
R 7	7.5 L	3.8 kg	20 - 100	1500	1500 - 3000 rpm		•
R 7 V.V.	7.5 L	3.8 kg	20 - 100		300 to 3500 rpm R-Mix : 60 to 500 rpm	•	



Blixer®





Model	Bowl capacity	Maximum quantity per operation	Number of 200 g portions	Power (W)	Speeds	Single phase	Three phase
Blixer 5 - 2V	5.9 L	3.8 kg	3 - 20	1500	1500 - 3000 rpm		•
Blixer 5 V.V.	5.9 L	3.8 kg	3 - 20	1500	300 to 3500 rpm	•	
Blixer 7	7.5 L	4.8 kg	3 - 25	1500	1500 - 3000 rpm		•
Blixer 7 V.V.	7.5 L	4.8 kg	3 - 25	1500	300 to 3500 rpm	•	

^{*}Throughput depending on machine remove operations

